Washington State GMAP Governor's Forum Health Care

September 15, 2005

Prevention/ Healthy Washington

Department of Health

Cover all Washington's Children


Department of Social and Health Services (DSHS)

Health Care Cost Containment and Quality

Health Care Authority & DSHS




POG Map: Maximize the Health of Washingtonians



GMAP on Health Care – Big Picture Logic Model

What are the linkages between the health care initiatives?

Overall Goal: Increase the quality and efficiency of outcomes for Washington citizens.



INCREASE HEALTHY BEHAVIORS

CARE

INCREASE ACCESS TO QUALITY ALTH

So we reduce tobacco use

Washington State Department of Health: Why Tobacco and Immunizations for GMAP?

Tobacco is the leading cause of preventable disease and death, causing about 8,000 deaths per year in WA Tobacco causes 90% of lung cancer deaths among men and 80% among women

Smokers are 4 times more likely to die from heart disease

There is more work to do:

By... ...so that... ...so that... ...so that...

- •Educating the public about tobacco hazards
- Creating anti-smoking regulations and policies
- Partnering w/ communities
- Providing cessation opportunities
- •Fewer people start using
- More youth and adultsquit
- •# of smoke free environments goes up
- Tobacco use in teens, adults and pregnant women decreases
- Exposure to second hand smoke reduces

Tobacco-related disease/ early death go down, contributing to a "Healthier Washington"

A vaccinated population is the only barrier to the epidemics of the past

Vaccine preventable diseases make people very sick, and can kill

Babies & toddlers are especially vulnerable: diseases spread quickly in families, childcare, & schools There is more work to do:

By...

...so that...

- Providing vaccines
- Educating parents, providers on vaccine schedule
- Partnering with communities
- Partnering w/ medical care system
- Working on access and school requirements with policy makers
- Monitoring disease cases and managing outbreaks


- ...so that...
- Vaccines given for chickenpox and whooping cough increase
- CHILD Profile
 Participation goes
 up
- •Increase the number of children who

...so that...

get all the right shots before age two Fewer children become sick or die, & all people are protected from vaccine preventable diseases

4

Washington State Department of Health: Tobacco Prevention




Results as of 2004:


- Youth smoking among 6th, 8th, 10th, and 12th graders down nearly half
- Washington's decline in youth smoking outstrips national rate
- Young people believe & recognize DOH's "Tobacco Smokes You"
- \$1 billion saved in health care costs

Challenges:

- Youth and their culture changes constantly
- Revenue drops in '09
- Action:
- Cutting-edge, research validated, antitobacco messages – especially in the 12-14 age group
- Go where the kids are (concerts, skate parks, clubs, web sites) to gain insights and promote message
- Identify new revenue for Tobacco Prevention & Control Fund by '09

Washington State Department of Health: Tobacco Prevention





^{*} Behavioral Risk Factor Surveillance System: Annual statewide telephone survey of adults.

** Birth Certificate System:
Annual census of birth certificates in Washington state.

Results as of 2003:

- 115,000 fewer adults smoking and 38,000 adults spared an early death
- Smoking during pregnancy down by 25% since 1998 – same decrease seen among Medicaid insured moms
- 58,000 smokers helped by Tobacco Quit Line
- \$1.4 billion saved in future health care costs
- 85% of providers serving high risk mothers trained in tobacco interventions.

Challenges:


- Tobacco Industry spends \$160m annually on promotions v. \$28.7m for prevention
- Smoking rates for low income, low education & some racial groups are higher
- Smoking rates among Medicaid mothers remains substantially higher
- Program revenue drops in '09

Actions:


- Expand targeted interventions to populations with greater needs
- Improve cessation benefits in all publicly subsidized health insurance programs
- Improve provider cessation referrals for maternal smokers
- Identify new revenue to sustain progress

Washington State Department of Health Protecting Children and Communities

Washington's Immunization Program: Universal Access to Childhood Vaccines



Washington State Department of Health Comparison of Individual Vaccine Rates, WA and US, 2004



Results

- Since 1990 there are more childhood vaccines recommended and our rate is the highest it has ever been
- WA 4th whooping cough and chicken pox rates are low.

Challenges

- 90% coverage for each vaccine is the national goal
- Many children lack chickenpox and 4th whooping cough (DTap) doses
- An adequate vaccine supply is critical
- Educating parents and providers is key
- No law mandating vaccinations


Actions


- Partners such as HCA/Medicaid ensure whooping cough/chickenpox given
- Expand use of the CHILD Profile immunization registry for parents and providers
- Considering supplemental budget request

Washington State Department of Health Protecting Children and Communities

Provider Use of the Immunization Registry

Children 19-35 Months, with 2 or more Immunizations in the Immunization Registry





Washington State Department of Health Immunization: Covering All Kids with The Right Shot at the Right Time—Age 2

Current universal access and distribution policy:

- decreases costs to the health care system
- improves access for children
- prevents diseases
- creates a simple and seamless system for providers in Washington's decentralized system

Upcoming request maintains this universal policy

for basic vaccines, including additional dollars for chicken pox school entry requirement